

# Safety Data Sheet

## WABO CONCRETE CLEANER

Revision date : 2010/04/20

Version: 1.0

Page: 1/7

(298947/SDS\_GEN\_CA/EN)

### 1. Product and Company Identification

Company

WATSON BOWMAN ACME  
95 Pineview Drive  
Amherst, NY 14228 USA

24 Hour Emergency Response Information

CANUTEC (reverse charges): (613) 996-6666  
BASF HOTLINE: (800) 454-COPE (2673)

### 2. Hazards Identification

Emergency overview

FLAMMABLE.  
IRRITANT.  
Irritating to eyes and skin.

State of matter: liquid

Potential health effects**Acute toxicity:**

Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. Inhalation-risk test (IRT): No mortality within 7 hours as shown in animal studies. The inhalation of a highly saturated vapor-air mixture represents no acute hazard. High concentrations in the air may cause narcosis. If used as intended, this product is not expected to present a physical or health hazard.

**Irritation / corrosion:**

Not irritating to the skin. Eye contact causes irritation.

**Assessment other acute effects:**

Possible narcotic effects (drowsiness or dizziness).

**Sensitization:**

Skin sensitizing effects were not observed in animal studies.

**Chronic toxicity:**

**Teratogenicity:** Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

**Genotoxicity:** In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was not found. A mutagenic effect was also not observed in in vivo tests.

# Safety Data Sheet

## WABO CONCRETE CLEANER

Revision date : 2010/04/20  
Version: 1.0

Page: 2/7  
(298947/SDS\_GEN\_CA/EN)

### Signs and symptoms of overexposure:

Overexposure may cause: headache, dizziness, incoordination, coma, abdominal cramps, nausea, vomiting

### Potential environmental effects

#### **Aquatic toxicity:**

There is a high probability that the product is not acutely harmful to aquatic organisms. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

---

### 3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Hazardous ingredients</u>
67-63-0	100.0 %	propan-2-ol

---

### 4. First-Aid Measures

#### **General advice:**

First aid personnel should pay attention to their own safety. Remove contaminated clothing.

#### **If inhaled:**

If difficulties occur after vapour/aerosol has been inhaled, remove to fresh air and seek medical attention.

#### **If on skin:**

After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.

#### **If in eyes:**

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

#### **If swallowed:**

Rinse mouth immediately and then drink plenty of water, seek medical attention. Do not induce vomiting unless told to by a poison control center or doctor.

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions.

---

### 5. Fire-Fighting Measures

Flash point:	12 °C	Literature data.
Autoignition:	399 °C	
Self-ignition temperature:		not self-igniting

#### **Suitable extinguishing media:**

foam, water spray, dry extinguishing media, carbon dioxide

#### **Unsuitable extinguishing media for safety reasons:**

water jet

#### **Hazards during fire-fighting:**

carbon monoxide, carbon dioxide, harmful vapours, nitrogen oxides, fumes/smoke, carbon black

#### **Protective equipment for fire-fighting:**

Wear a self-contained breathing apparatus.

#### **Further information:**

Contaminated extinguishing water must be disposed of in accordance with official regulations.

# Safety Data Sheet

## WABO CONCRETE CLEANER

Revision date : 2010/04/20  
Version: 1.0

Page: 3/7  
(298947/SDS\_GEN\_CA/EN)

---

### 6. Accidental release measures

**Personal precautions:**

Use personal protective clothing. Do not breathe vapour/aerosol/spray mists. Sources of ignition should be kept well clear. Handle in accordance with good building materials hygiene and safety practice.

**Environmental precautions:**

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

**Cleanup:**

For small amounts: Pick up with inert absorbent material (e.g. sand, earth etc.). Dispose of contaminated material as prescribed.

For large amounts: Pump off product.

---

### 7. Handling and Storage

**Handling**

**General advice:**

Avoid aerosol formation. Avoid inhalation of mists/vapours. Avoid skin contact. No special measures necessary provided product is used correctly.

**Protection against fire and explosion:**

Keep away from heat. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

**Storage**

**General advice:**

Keep only in the original container in a cool, well-ventilated place. Protect from direct sunlight.

**Storage incompatibility:**

General advice: Segregate from metals. Segregate from lyes. Segregate from oxidants. Segregate from foods and animal feeds.

---

### 8. Exposure Controls and Personal Protection

**Components with workplace control parameters**

propan-2-ol	OSHA	PEL 400 ppm 980 mg/m3 ;
	ACGIH	TWA value 200 ppm ; STEL value 400 ppm ;

**Personal protective equipment**

**Respiratory protection:**

When workers are facing concentrations above the occupational exposure limits they must use appropriate certified respirators.

**Hand protection:**

Wear chemical resistant protective gloves., Manufacturer's directions for use should be observed because of great diversity of types.

**Eye protection:**

Tightly fitting safety goggles (chemical goggles).

**Body protection:**

Body protection must be chosen based on level of activity and exposure.

# Safety Data Sheet

## WABO CONCRETE CLEANER

Revision date : 2010/04/20  
Version: 1.0

Page: 4/7  
(298947/SDS\_GEN\_CA/EN)

### General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice. When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin-care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks).

## 9. Physical and Chemical Properties

Odour threshold:	No data available.	
Melting point:	-88.5 °C	( 1,013 hPa) Literature data.
Boiling point:	82.5 °C	( 1,013 hPa) Literature data.
Vapour pressure:	60.53 hPa	( 25 °C) Literature data.
Density:	0.785 g/cm3	( 20 °C) Literature data.
Relative density:	0.785	( 20 °C) Literature data.
Partitioning coefficient n-octanol/water (log Pow):	0.05	Literature data.
Viscosity, dynamic:	2.1 mPa.s	( 25 °C) Literature data.
Solubility in water:		miscible
Molar mass:	60.10 g/mol	

## 10. Stability and Reactivity

### Substances to avoid:

strong acids, strong bases, strong oxidizing agents

### Hazardous reactions:

The product is stable if stored and handled as prescribed/indicated.

### Decomposition products:

Thermal decomposition products: carbon oxides

### Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing.

## 11. Toxicological information

### Acute toxicity

#### Oral:

Type of value: LD50  
Species: rat  
Value: 4,396 mg/kg  
Literature data.

#### Inhalation:

Type of value: LC50  
Species: rat  
Value: 72.6 mg/l  
Exposure time: 4 h  
Literature data.

#### Dermal:

Type of value: LD50  
Species: rabbit  
Value: 12,870 mg/kg  
Literature data.

### Irritation / corrosion

# Safety Data Sheet

## WABO CONCRETE CLEANER

Revision date : 2010/04/20  
Version: 1.0

Page: 5/7  
(298947/SDS\_GEN\_CA/EN)

### **Skin:**

Species: rabbit  
Result: non-irritant  
Literature data.

### **Eye:**

Species: rabbit  
Result: Irritant.  
Method: Draize test  
Literature data.

### **Sensitization:**

Buehler test  
Species: guinea pig  
Result: Non-sensitizing.  
Literature data.

---

## 12. Ecological Information

### **Fish**

Acute:  
EPA 72-1 Flow through.  
Pimephales promelas/LC50 (96 h): 9,640 mg/l  
Literature data.

### **Aquatic invertebrates**

Acute:  
static  
Daphnia magna/EC50 (24 h): > 10,000 mg/l  
Nominal concentration. Literature data.

### **Aquatic plants**

Toxicity to aquatic plants:  
DIN 38412 Part 9 static  
green algae/Toxic limit concentration (8 d): 1,800 mg/l  
Nominal concentration. Literature data.

### **Microorganisms**

Toxicity to microorganisms:  
OECD Guideline 209 aquatic  
activated sludge, domestic/EC20 (3 h): > 1,000 mg/l  
Nominal concentration. Literature data.

DIN EN ISO 10712 aquatic  
bacterium/Toxic limit concentration (16 h): 1,050 mg/l  
Nominal concentration. Literature data.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Do not discharge substance/product into sewer system. Dispose of in accordance with local authority regulations.

### **Container disposal:**

Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

# Safety Data Sheet

## WABO CONCRETE CLEANER

Revision date : 2010/04/20  
Version: 1.0

Page: 6/7  
(298947/SDS\_GEN\_CA/EN)

### 14. Transport Information

#### Land transport

TDG

Hazard class: 3  
Packing group: II  
ID number: UN 1219  
Hazard label: 3  
Proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL) WASTE

#### Sea transport

IMDG

Hazard class: 3  
Packing group: II  
ID number: UN 1219  
Hazard label: 3  
Marine pollutant: NO  
Proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL) WASTE

#### Air transport

IATA/ICAO

Hazard class: 3  
Packing group: II  
ID number: UN 1219  
Hazard label: 3  
Proper shipping name: ISOPROPANOL (ISOPROPYL ALCOHOL) WASTE

### 15. Regulatory Information

#### Federal Regulations

##### Registration status:

Chemical DSL, CA released / listed

**WHMIS classification:** D2B: Materials Causing Other Toxic Effects - Toxic material

B2: Flammable Liquid



THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

### 16. Other Information

# Safety Data Sheet

## WABO CONCRETE CLEANER

Revision date : 2010/04/20

Version: 1.0

Page: 7/7

(298947/SDS\_GEN\_CA/EN)

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

**MSDS Prepared by:**

BASF NA Product Regulations

safety\_ecology\_canada@basf.com

MSDS Prepared on: 2010/04/20

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET